

Message

From: Lisa Rector [lrector@nescaum.org]
Sent: 1/31/2020 10:23:55 PM
To: Sanchez, Rafael [Sanchez.Rafael@epa.gov]
CC: Scinta, Robert [scinta.robert@epa.gov]; Lischinsky, Robert [Lischinsky.Robert@epa.gov]; cindy.heil@alaska.gov; Johnson, Steffan [johnson.steffan@epa.gov]
Subject: RE: Missing test reports

Thanks Rafael. If you find these reports or have notification that they have been posted, can you please let me know so we can obtain them for review? Thanks!

From: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Sent: Friday, January 31, 2020 4:16 PM
To: Lisa Rector <lrector@nescaum.org>
Cc: Scinta, Robert <scinta.robert@epa.gov>; Lischinsky, Robert <Lischinsky.Robert@epa.gov>; cindy.heil@alaska.gov; Johnson, Steffan <johnson.steffan@epa.gov>
Subject: RE: Missing test reports

Hi Lisa,

Thank you for your January 29, 2020 email regarding test reports. We will follow up with those manufacturers and request the posting of the test reports per the 2015 WH rule if they are missing. If you have any questions, please let me know.

Rafael Sanchez, EPA

From: Lisa Rector <lrector@nescaum.org>
Sent: Wednesday, January 29, 2020 8:44 AM
To: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Cc: Scinta, Robert <scinta.robert@epa.gov>; Lischinsky, Robert <Lischinsky.Robert@epa.gov>; cindy.heil@alaska.gov; Johnson, Steffan <johnson.steffan@epa.gov>
Subject: Missing test reports

Rafael, I have been trying to locate certification test reports for the following seven stoves that are certified for Step 2 under the residential wood heater NSPS.

- Kiwi VcV 2.1, EcoVision Ltd.
- 15-SSW01, 50-SHSSW01, and 50-TRSSW01, England's Stove Works, Inc.
- Ladera CAT WRT3920WS, Innovative Hearth Products
- Montecito Estate CAT and WCT6940WS, Innovative Hearth Products
- Q-Tee II Steel, Q-Tee II Glass, and Q-Tee II C, Rais A/S
- Focus 320 SBR and Onyx SBR, RSF / Industrial Chimney Company, Incorporated
- Thelin Parlour T-4000, Thelin

In some cases, I found EPA letters and/or old test reports but I could not locate the non-CBI test report as required by the rule. Can you please advise the URL that EPA used to verify compliance with the rule requirement?

Sincerely,

Lisa Rector



Lisa Rector, Policy and Program Director at **NESCAUM**

89 South Street, Suite 602, Boston, Massachusetts, 02111 | 802.899.5306 | 617.259.2095 | Fax: 617.742.9162
| lrector@nescaum.org